JOURNAL OF FISH BIOLOGY

QC 45 .90

Editor

A. R. MARGETTS

International Advisers

J. S. Alabaster
R. R. Avtalion
R. Backiel
T. B. Bagenal
A. R. Bayoumi
J. S. Bunt
J. C. Chubb
E. D. Le Cren
D. J. Crisp
C. L. Deelder
R. W. Edwards
S. D. Gerking
G. L. Hoffman
A. Lelek
S. Z. Qasim
W. E. Ricker
I. A. Ronquillo
C. J. Sindermann
P. Tombleson
A. H. Weatherley
A. C. Wheeler

Library
NOAA, National Marine Fisheries Service
SWFC Honolulu Laboratory F/SWC2
2570 Dole Street
Honolulu, HI 96822-2396

VOLUME 32

January to June 1988

Published for the Fisheries Society of the British Isles by Academic Press
London San Diego New York
Boston Sydney Tokyo Toronto

Copyright © 1988 The Fisheries Society of the British Isles

Printed in Great Britain by Henry Ling Ltd., at the Dorset Press, Dorchester, Dorset

Contents of Volume 32

Number 1 January 1988

BIANCO, P. G., *Leuciscus cephalus* (Linnaeus), with records of fingerling adult males, *Leuciscus pleurobipunctatus* (Stephanidis) and their hybrids from western Greece 1

KORWIN-KOSSAKOWSKI, M., Larval development of carp, *Cyprinus carpio* L., in acidic water 17

FIELD-DODGSON, M. S., Size characteristics and diet of emergent chinook salmon in a small, stable, New Zealand stream 27

DELBEEK, J. C. and WILLIAMS, D. D., Feeding selectivity of four species of sympatric stickleback in brackish-water habitats in eastern Canada .. 41

GOSS, G. G. and WOOD, C. M., The effects of acid and acid/aluminum exposure on circulating plasma cortisol levels and other blood parameters in the rainbow trout, *Salmo gairdneri* 63

HIRATA, T., GOTO, A. and YAMAZAKI, F., Individual growth and smoltification of juvenile masu salmon, *Oncorhynchus masou* Brevoort, under rearing conditions 77

OKACH, J. O. and DADZIE, S., The food, feeding habits and distribution of a siluroid catfish, *Bagrus docmac* (Forsskal), in the Kenya waters of Lake Victoria 85

REAY, P. J. and CORNELL, V., Identification of grey mullet (Teleostei: Mugilidae) juveniles from British waters 95

TURNPENNY, A. W. H., DEMPSEY, C. H., DAVIS, M. H. and FLEMING, J. M., Factors limiting fish populations in the Loch Fleet system, an acidic drainage system in south-west Scotland 101

KULAKKATTOLICKAL, A. T. and KRAMER, D. L., The role of air breathing in the resistance of bimodally respiring fish to waterborne toxins 119

SANDNES, K., LIE, Ø. and WAAGBØ, R., Normal ranges of some blood chemistry parameters in adult farmed Atlantic salmon, *Salmo salar* .. 129

OVENDEN, J. R., WHITE, R. W. G. and SANGER, A. C., Evolutionary relationships of *Gadopsis* spp. inferred from restriction enzyme analysis of their mitochondrial DNA 137

BRIEF COMMUNICATIONS

SEZAKI, K., WATABE, S. and HASHIMOTO, K., Haematological parameters and erythrocyte enzyme activities associated with increase in ploidy status of the spinous loach, *Cobitis biwae* Jordan and Snyder 149

MINCHIN, D., Observations on the southern distribution of the jellycat, *Anarhichas denticulatus* Kröyer 151

HVIDSTEN, N. A. and HANSEN, L. P., Increased recapture rate of adult Atlantic salmon, *Salmo salar* L., stocked as smolts at high water discharge 153

TURNER, G. F., Environmental influences on male breeding colouration in *Oreochromis niloticus* 155

SWINNEY, G. N., Two species of *Bathophilus* (Stomiiformes, Stomiidae) new to the north-eastern Atlantic 157

BOOK REVIEW 159

Number 2 February 1988

TAYLOR, P. B., Effects of anaesthetic MS222 on the orientation of juvenile salmon, *Oncorhynchus tschawytscha* Walbaum 161

LEVIN, L. E. and BELMONTE, P., Oriented swimming at an angle to light in a schooling characid, *Moenkhausia dichroura* Kner 169

MICHAUD, M., DUTIL, J.-D. and DODSON, J. J., Determination of the age of young American eels, *Anguilla rostrata*, in fresh water, based on otolith surface area and microstructure 179

CATALDI, E., CROSETTI, D., CONTE, G., D'OVIDIO, D. and CATAUDELLA, S., Morphological changes in the oesophageal epithelium during adaptation to salinities in *Oreochromis mossambicus, O. niloticus* and their hybrid 191

DHEER, J. M. S., Haematological, haematopoietic and biochemical responses to thermal stress in an air-breathing freshwater fish, *Channa punctatus* Bloch 197

OBIEKEZIE, A. I., MÖLLER, H. and ANDERS, K., Diseases of the African estuarine catfish *Chrysichthys nigrodigitatus* (Lacépède) from the Cross River estuary, Nigeria 207

MUDARRIS, M. and AUSTIN, B., Quantitative and qualitative studies of the bacterial microflora of turbot, *Scophthalmus maximus* L., gills 223

SAINT-PAUL, U. and SOARES, G. M., Ecomorphological adaptation to oxygen deficiency in Amazon floodplains by serrasalmid fish of the genus *Mylossoma* 231

BARBER, W. E. and WALKER, R. J., Circuli spacing and annulus formation: is there more than meets the eye? The case for sockeye salmon, *Oncorhynchus nerka* 237

MARTINEZ, I., VISCOR, G. and PALOMEQUE, J., Effects of temperature, oxygen and carbon dioxide on osmotic fragility of carp, *Cyprinus carpio* L., erythrocytes 247

LAIDLEY, C. W., WOO, P. T. K. and LEATHERLAND, J. F., The stress-response of rainbow trout to experimental infection with the blood parasite *Cryptobia salmositica* Katz, 1951 253

MACKENZIE, K., Presumptive mycobacteriosis in North-east Atlantic mackerel, *Scomber scombrus* L. 263

TORT, L. and TORRES, P., The effects of sublethal concentrations of cadmium on haematological parameters in the dogfish, *Scyliorhinus canicula* 277

TOWNSEND, C. R. and PEIRSON, G., Fish community structure in lowland drainage channels 283

SORENSEN, P. W. and PANKHURST, N. W., Histological changes in the gonad, skin, intestine and olfactory epithelium of artificially-matured male American eels, *Anguilla rostrata* (LeSueur) 297

BRIEF COMMUNICATIONS

CABRERA, J., MARTINEZ, G. and ALFARO, A., An anomalous specimen of *Rhamdia guatemalensis* (Günther, 1864) 309

COWAN, G. I. MCT. and BAGGS, E. M., Incidences of lacustrine spawning of the ouananiche, *Salmo salar*, and the brook charr, *Salvelinus fontinalis*, on the Avalon Peninsula, Newfoundland 311

MINCHIN, D., A record of the deep-sea anglerfish, *Cryptopsaras couesi* Gill, from the north-eastern Atlantic 313

BOOK REVIEWS 315

NOTICE 319

Number 3 March 1988

BAKSI, S. M. and MEANS, J. C., Preparation of chromosomes from early stages of fish for cytogenetic analysis 321

VERSPOOR, E., Widespread hybridization between native Atlantic salmon, *Salmo salar*, and introduced brown trout, *S. trutta*, in eastern Newfoundland 327

BLACK, D. and LOVE, R. M., Estimating the carbohydrate reserves in fish 335

FRANKLIN, C. E. and DAVISON, W., X-cells in the gills of an Antarctic teleost, *Pagothenia borchgrevinki* 341

O'MAOILEIDIGH, N., CAWDERY, S., BRACKEN, J. J. and FERGUSON, A., Morphometric, meristic character and electrophoretic analyses of two Irish populations of twaite shad, *Alosa fallax* (Lacépède) 355

PRASAD, M. S., Morphometrics of gills during growth and development of the air-breathing habit in *Colisa fasciatus* (Bloch and Schneider) .. 367

ISAAC-NAHUM, V. J., CARDOSO, R. DE D., SERVO, G. and ROSSI-WONGTSCHOWSKI, C. L. DEL B., Aspects of the spawning biology of the Brazilian sardine, *Sardinella brasiliensis* (Steindachner, 1789), (Clupeidae) .. 383

KRAMER, C. R., KOULISH, S. and BERTACCHI, P. L., The effects of testosterone implants on ovarian morphology in the bluehead wrasse, *Thalassoma bifasciatum* (Bloch) (Teleostei: Labridae) 397

WYATT, R. J., The cause of extreme year class variation in a population of roach, *Rutilus rutilus* L., from a eutrophic lake in southern England .. 409

BADCOCK, J., Evidence for the assignment of *Dolichopteryx brachyrhynchus* Parr to the genus *Bathylychnops* Cohen (Pisces, Opisthoproctidae) .. 423

BURTON, D., A comparison of the effects of temperature on melanophore *in vitro* responses to noradrenalin in two teleost species adapted to cold ocean and tropical conditions 433

DABROWSKI, K., TAKASHIMA, F. and LAW, Y. K., Bioenergetic model of planktivorous fish feeding, growth and metabolism: theoretical optimum swimming speed of fish larvae 443

GARTNER, JR., J. V. and ZWERNER, D. E., An *Ichthyophonus*-type fungus in the deep-sea pelagic fish *Scopelogadus beanii* (Günther) (Pisces: Melamphaidae): pathology, geographic distribution and ecological implications 459

WARDLE, C. S. and HE, P., Burst swimming speeds of mackerel, *Scomber scombrus* L. 471

BRIEF COMMUNICATIONS

OKAEME, A. N., OBIEKEZIE, A. O. I., LEHMAN, J., ANTAI, E. E. and MADU, C. T., Parasites and diseases of cultured fish of Lake Kainji area, Nigeria 479

BRUNO, D. W. and FRASER, C. O., A case of reversal in the common dab, *Limanda limanda* (L.) 483

OYETAYO, A. S., Infection of the African eleotrid *Bostrychus africanus* (Steindachner 1980) by the nematode *Raphidascaroides africanus* .. 485
JØRGENSEN, E. and JOBLING, M., Use of radiographic methods in feeding studies: a cautionary note 487
MINCHIN, D. and WHEELER, A., A new record for the lancetfish, *Alepisaurus ferox* Lowe (Osteichthys: Scopeliformes: Alepisauridae), in the north-eastern Atlantic 489
TYTLER, P. and BLAXTER, J. H. S., Drinking in yolk-sac stage larvae of the halibut, *Hippoglossus hippoglossus* (L.) 493

Number 4 April 1988

TZENG, W.-N. and YU, S.-Y., Daily growth increments in otoliths of milkfish, *Chanos chanos* (Forsskål), larvae 495

SAGLIO, PH., ESCAFFRE, A. M. and BLANC, J. M., Structural characteristics of the epidermal mucosa in yellow and silver European eel, *Anguilla anguilla* (L.) 505

MARSHALL, B. E., A preliminary assessment of the biomass of the pelagic sardine *Limnothrissa miodon* in Lake Kariba 515

MHAISEN, F. T., AL-SALIM, N. K. and KHAMEES, N. R., Occurrence of parasites of the freshwater mugilid fish *Liza abu* (Heckel) from Basrah, southern Iraq 525

GALLOWAY, M. L. and KILAMBI, R. V., Thermal enrichment of a reservoir and the effects on annulus formation and growth of largemouth bass, *Micropterus salmoides* 533

ROUBAL, F. R. and BULLOCK, A. M., The mechanism of wound repair in the skin of juvenile Atlantic salmon, *Salmo salar* L., following hydrocortisone implantation 545

VAN DIJK, P. L. M. and WOOD, C. M., The effect of β-adrenergic blockade on the recovery process after strenuous exercise in the rainbow trout, *Salmo gairdneri* Richardson 557

OGARI, J. and DADZIE, S., The food of the Nile perch, *Lates niloticus* (L.), after the disappearance of the haplochromine cichlids in the Nyanza Gulf of Lake Victoria (Kenya) 571

HINE, P. M. and WAIN, J. M., Characterization of inflammatory neutrophils induced by bacterial endotoxin in the blood of eels, *Anguilla australis* .. 579

ECONOMIDIS, P. S. and SINIS, A. I., A natural hybrid of *Leuciscus cephalus macedonicus* × *Chalcalburnus chalcoides macedonicus* (Pisces, Cyprinidae) from Lake Volvi (Macedonia, Greece) 593

READER, J. P., DALZIEL, T. R. K. and MORRIS, R., Growth, mineral uptake and skeletal calcium deposition in brown trout, *Salmo trutta* L., yolk-sac fry exposed to aluminium and manganese in soft acid water 607

SHAND, J., Corneal iridescence in fishes: light-induced colour changes in relation to structure 625

BRIEF COMMUNICATIONS

VALENTE, A. C. N., A note on fin abnormalities in *Leuciscus cephalus* L. and *Carassius carassius* L. (Pisces: Cyprinidae) 633

ALABASTER, J. S., The dissolved oxygen requirements of upstream migrant chinook salmon, *Oncorhynchus tshawytscha*, in the lower Willamette River, Oregon 635

BOOK REVIEW 637

Number 5 May 1988

HESTHAGEN, T., Movements of brown trout, *Salmo trutta*, and juvenile Atlantic salmon, *Salmo salar*, in a coastal stream in northern Norway .. 639

RODGERS, L. J. and BURKE, J. B., Aetiology of ' red spot ' disease (vibriosis) with special reference to the ectoparasitic digenean *Prototransversotrema steeri* (Angel) and the sea mullet, *Mugil cephalus* (Linnaeus) 655

DON, J. and AVTALION, R. R., Comparative study on the induction of triploidy in tilapias, using cold- and heat-shock techniques 665

SMIT, G. L. and SCHOONBEE, H. J., Blood coagulation factors in the freshwater fish *Oreochromis mossambicus* 673

JURVELIUS, J., LINDEM, T. and HEIKKINEN, T., The size of a vendace, *Coregonus albula* L., stock in a deep lake basin monitored by hydroacoustic methods 679

PICKERING, A. D. and POTTINGER, T. G., Lymphocytopenia and the overwinter survival of Atlantic salmon parr, *Salmo salar* L. 689

LEVESLEY, P. B. and MAGURRAN, A. E., Population differences in the reaction of minnows to alarm substance 699

LADICH, F., Sound production by the gudgeon, *Gobio gobio* L., a common European freshwater fish (Cyprinidae, Teleostei) 707

HEGGENES, J. and TRAAEN, T., Downstream migration and critical water velocities in stream channels for fry of four salmonid species 717

LITTLE, M. C., REAY, P. J. and GROVE, S. J., The fish community of an East African mangrove creek 729

CUI, Y. and WOOTTON, R. J., Effects of ration, temperature and body size on the body composition, energy content and condition of the minnow, *Phoxinus phoxinus* (L.) 749

SAYER, M. D. J. and BLACKSTOCK, N., The relationship between nitrogen output and changes in mucous cell function in the amphibious teleost *Blennius pholis* L. during aerial exposure 765

HUNTINGFORD, F. A., METCALFE, N. B. and THORPE, J. E., Feeding motivation and response to predation risk in Atlantic salmon parr adopting different life history strategies 777

HALL, S. J., The effects of reversal of seasonal changes in photoperiod on the growth and food consumption of cod, *Gadus morhua* L. 783

BRIEF COMMUNICATIONS

MICALE, V. and PERDICHIZZI, F., Photoperiod effects on gonadal maturation in captivity-born gilthead bream *Sparus aurata* (L.): early findings 793

HUNSINGER, R. N., BYRAM, B. R. and HOWELL, W. M., Unchanged gonadal morphology of mosquitofish masculinized by exposure to degraded plant sterols 795

SPANIER, E. and GOREN, M., An Indo-Pacific trunkfish *Tetrosomus gibbosus* (Linnaeus): first record of the family Ostracionidae in the Mediterranean 797

BARRETT, B. A. and MCKEOWN, B. A., Growth hormone response to sustained swimming in exercise-acclimated steelhead trout, *Salmo gairdneri* 799

BUCHMANN, K., Spatial distribution of *Pseudodactylogyrus anguillae* and *P. bini* (Monogenea) on the gills of the European eel, *Anguilla anguilla* 801

MITTAL, A. K. and GARG, T. K., An improved method of separation of intact epidermal sheets in fish 803

Number 6 June 1988

RAND, T. G. and WILES, M., Bacterial involvement in a saddleback disease of the reef silverside, *Atherina harringtonensis* Goode, (Pisces: Atherinidae) from Bermudan waters 805

NELSON, S. G. and WILKINS, S. DEC., Sediment processing by the surgeonfish, *Ctenochaetus striatus,* at Moorea, French Polynesia 817

McMahon, T. E. and Hartman, G. F., Variation in the degree of silvering of wild coho salmon, *Oncorhynchus kisutch*, smolts migrating seaward from Carnation Creek, British Columbia 825

Echelle, A. A., Echelle, A. F., DeBault, L. E. and Durham, D. W., Ploidy levels in silverside fishes (Atherinidae, *Menidia*) on the Texas coast: flow-cytometric analysis of the occurrence of allotriploidy .. 835

Peleteiro, M. C. and Richards, R. H., Immunocytochemical studies on immunoglobulin-containing cells in the epidermis of rainbow trout *Salmo gairdneri* Richardson: influence of bath vaccination 845

Santulli, A., Curatolo, A., Modica, A. and D'Amelio, V., Time-course changes of plasma lipid levels and lipoprotein pattern after feeding in cultured sea bass, *Dicentrarchus labrax* L. 859

Kazakov, R. V., Christoforov, O. L., Murza, I. G., Ilyenkova, S. A. and Titov, S. F., Results of accelerated rearing of Atlantic salmon, *Salmo salar* L., smolts by use of warm waste water 869

Bellwood, D. R., Seasonal changes in the size and composition of the fish yield from reefs around Apo Island, Central Philippines, with notes on methods of yield estimation 881

Hyslop, E. J., A comparison of the composition of the juvenile fish catch from the Sokoto–Rima floodplain, Nigeria in years preceding and immediately after upstream dam completion 895

Gardner, A. S., Walker, A. F. and Greer, R. B., Morphometric analysis of two ecologically distinct forms of Arctic charr, *Salvelinus alpinus* (L.), in Loch Rannoch, Scotland 901

Anderson, T. A., The effect of feeding frequency on utilization of algal nutrients by the marine herbivore, the luderick, *Girella tricuspidata* (Quoy and Gaimard) 911

Hislop, J. R. G., The influence of maternal length and age on the size and weight of the eggs and the relative fecundity of the haddock, *Melanogrammus aeglefinus*, in British waters 923

Mir, S., Al-Absy, A. and Krupp, F., A new natural intergeneric cyprinid hybrid from the Jordan River drainage, with a key to the large barbine cyprinids of the southern Levant 931

Battram, J. C., The effects of aluminium and low pH on chloride fluxes in the brown trout, *Salmo trutta* L. 937

GIBSON, R. N., Development, morphometry and particle retention capability of the gill rakers in the herring, *Clupea harengus* L. 949

MORGAN, M. J., The effect of hunger, shoal size and the presence of a predator on shoal cohesiveness in bluntnose minnows, *Pimephales notatus* Rafinesque 963

BRIEF COMMUNICATIONS

BIANCO, P. G., Occurrence of the Asiatic gobionid *Pseudorasbora parva* (Temminck and Schlegel) in south-eastern Europe 973

HINKENS, E. and COCHRAN, P. A., Taste buds on pelvic fin rays of the burbot, *Lota lota* (L.) 975

BOUAIN, A. and SIAU, Y., A new technique for staining fish otoliths for age determination 977

BOOK REVIEW 979